



# Dentist Preference Form

Please complete this form and return it by fax, email or with your next case.

Doctor Name: \_\_\_\_\_ Date: \_\_\_\_\_

Practice Name: \_\_\_\_\_

Email: \_\_\_\_\_

Office Phone: \_\_\_\_\_ Mobile: \_\_\_\_\_ Fax: \_\_\_\_\_

Office Hours: Mon \_\_\_\_\_ Tues \_\_\_\_\_ Wed \_\_\_\_\_ Thurs \_\_\_\_\_ Fri \_\_\_\_\_

Open During Lunch? Yes \_\_\_\_\_ No \_\_\_\_\_

1. How do you prefer your proximal contacts?

**Please Circle:** Very Light    Light    Tight    Point    Other: \_\_\_\_\_

2. How do you prefer your occlusal contacts?

**Please Circle:** In    Light    Light to Out    Out

3. What type of margins do you prefer?

**Please Circle:** Chamfer    Shoulder    Bevel    Feather Edge

4. Do you want a lingual collar on your PFM Restorations?

**Please Circle:** Yes    No    I do not prescribe PFM Crowns

5. Alloy Preference:

**Please Circle:** High Noble Yellow    High Noble White    Noble Yellow    Noble White    Base  
Other: \_\_\_\_\_

6. Bite Registration:

- If the bite is tight, the lab will reduce opposing no more than .5MM and mark
- Models in red pencil where reduced
- Please call me case by case

7. Single-Unit IOS Scanned Cases:

**Please Circle:** Modeless    Models

8. Removable Preferences:

Type: Standard: \_\_\_\_\_ Premium: \_\_\_\_\_ Will Indicate Each Case \_\_\_\_\_

9. Implant Preferences

**Screw Retained**

- TI Base
- Angled Screw Channel

**Screw Access**

- Lab to Cement
- Doctor to Cement

**Cement-Retained Abutment**

- Zirconia - Shade: \_\_\_\_\_
- Gold Hue
- Abutment Seating Jig

**Implant System**

- Prefer OEM
- Nobel Biocare
- Zimmer
- Zimmer Encode
- BioHorizons
- Straumann
- Biomet 3i
- Bioment Encode
- Astra Tech
- Hiossen